

# decorative films.

create your own designer space.

hpw<sup>®</sup>f.

High Performance Window Films

## METAMARK M4 FROST

### DESCRIPTION

An economical monomeric calendered vinyl film that provides an alternative to acid-etched glass. Used on internal glazed partitions to create design and images, and to provide privacy.

### WARRANTY - FILM ONLY

External	3 years on vertical surfaces
Internal	5 years on vertical surfaces
Internal Partitioning	7 years
Workmanship	12 months

### BENEFITS

- Can be used as a decorative flat glass film or be computer cut to create specific designs, logo and lettering.
- Has the look of acid-etched glass.
- Eliminates the need for acid-etching of glass.
- Strengthens glass unlike acid-etching.
- Vinyl film has less static to reduce dust.
- Pressure sensitive adhesive
- Often used in conjunction with company logos on front glass doors
- Allows the majority of light to be transmitted.

### APPLICATION

Clear Float or Laminated	YES*
Tinted Float or Laminated	YES*
Toughened	YES
Wire Cast	YES

## decorative window film.

Australia's Premium Provider Of Window Films

*\* In certain applications a thermal safety assessment recommendation is required prior to application. Refer to Film Specifiers Guide for further information.*

# decorative films.

create your own designer space.

hpw<sup>®</sup>f.

High Performance Window Films



## METAMARK M7 DUSTED ETCH

### DESCRIPTION

An economical vinyl film that provides an alternative to acid-etched glass. Used on internal glazed partitions to create design and images, and to provide privacy.

### WARRANTY - FILM ONLY

External	5 years on vertical surfaces
Internal	5 years on vertical surfaces
Internal Partitioning	7 years
Workmanship	12 months

### BENEFITS

- Can be used as a decorative flat glass film or be computer cut to create specific designs, logo and lettering.
- Has the look of acid-etched glass.
- Eliminates the need for acid-etching of glass.
- Strengthens glass unlike acid-etching.
- Vinyl film has less static to reduce dust.
- Pressure sensitive adhesive.
- Often used in conjunction with company logos on front glass doors.
- Allows the majority of light to be transmitted.

### APPLICATION

Clear Float or Laminated	YES*
Tinted Float or Laminated	YES*
Toughened	YES
Wire Cast	YES

## decorative window film.

Australia's Premium Provider Of Window Films

*\* In certain applications a thermal safety assessment recommendation is required prior to application. Refer to Film Specifiers Guide for further information.*

# decorative films.

create your own designer space.

hpw<sup>®</sup>f.

High Performance Window Films

## METAMARK M7 SILVER ETCH

### DESCRIPTION

An economical vinyl film that provides an alternative to silver coloured acid-etched glass. Used on internal glazed partitions to create design and images, and to provide privacy.

### WARRANTY - FILM ONLY

External	5 years on vertical surfaces
Internal	5 years on vertical surfaces
Internal Partitioning	7 years
Workmanship	12 months

### BENEFITS

- Can be used as a decorative flat glass film or be computer cut to create specific designs, logo and lettering.
- Suitable for decals where a higher level of opacity is required.
- Has the look of silver toned acid-etched glass.
- Eliminates the need for acid-etching of glass.
- Strengthens glass unlike acid-etching.
- Vinyl film has less static to reduce dust.
- Pressure sensitive adhesive.
- Often used in conjunction with company logos on front glass doors.
- Allows the majority of light to be transmitted.

### APPLICATION

Clear Float or Laminated	YES*
Tinted Float or Laminated	YES*
Toughened	YES
Wire Cast	YES

## decorative window film.

Australia's Premium Provider Of Window Films

*\* In certain applications a thermal safety assessment recommendation is required prior to application. Refer to Film Specifiers Guide for further information.*

# decorative films.

create your own designer space.

hpw<sup>®</sup>f.

High Performance Window Films



## METAMARK M7 CRYSTAL ETCH

### DESCRIPTION

An economical polymeric calandered vinyl film that provides an alternative to sand-blasted glass. Used on internal glazed partitions to create design and images, and to provide privacy.

### WARRANTY - FILM ONLY

External	5 years on vertical surfaces
Internal	5 years on vertical surfaces
Internal Partitioning	7 years
Workmanship	12 months

### BENEFITS

- Can be used as a decorative flat glass film or be computer cut to create specific designs, logo and lettering.
- Has a distinctive glitter effect.
- Has the look of sandblasted glass.
- Eliminates the need for sandblasting of glass.
- Strengthens glass unlike sandblasting.
- Vinyl film has less static to reduce dust.
- Pressure sensitive adhesive.
- Often used in conjunction with company logos on front glass doors.
- Allows the majority of light to be transmitted.

### APPLICATION

Clear Float or Laminated	YES*
Tinted Float or Laminated	YES*
Toughened	YES
Wire Cast	YES

## decorative window film.

Australia's Premium Provider Of Window Films

*\* In certain applications a thermal safety assessment recommendation is required prior to application. Refer to Film Specifiers Guide for further information.*

# decorative films.

create your own designer space.

hpw.f.

High Performance Window Films

## 3M DUSTED CRYSTAL

### DESCRIPTION

An economical vinyl film that provides an alternative to sand-blasted glass. Used on internal glazed partitions to create design and images, and to provide privacy.

### WARRANTY - FILM ONLY

External	5 years
Internal	8 years
Internal Partitioning	15 years
Workmanship	12 months

### BENEFITS

- Can be used as a decorative flat glass film or be computer cut to create specific designs, logo and lettering.
- Has the look of sandblasted glass.
- Eliminates the need for sandblasting of glass.
- Strengthens glass.
- Vinyl film has less static to reduce dust.
- Paper backed, easier to cut than polyester.
- Full colour Scotchprint facilities available.
- Pressure sensitive adhesive.
- Often used in conjunction with company logos on front glass doors.
- Allows the majority of light to be transmitted

### APPLICATION

Clear Float or Laminated	YES*
Tinted Float or Laminated	YES*
Toughened	YES
Wire Cast	YES*

## decorative window film.

Australia's Premium Provider Of Window Films

*\* In certain applications a thermal safety assessment recommendation is required prior to application. Refer to Film Specifiers Guide for further information.*

# decorative films.

create your own designer space.

hpw<sup>®</sup>f.

High Performance Window Films

## 3M FROSTED CRYSTAL

### DESCRIPTION

An economical vinyl film that provides an alternative to acid etched glass. Ideal for interior design work on internal glazed partitions to create images and provide privacy.

### WARRANTY - FILM ONLY

External	5 years
Internal	8 years
Internal Partitioning	15 years
Workmanship	12 months

### BENEFITS

- A very attractive decorative film with many uses.
- An excellent substitute for acid etched glass and can be computer or hand cut to create exciting designs to make a show piece of any office situation.
- Company logos can also be cut and be incorporated into a feature wall or display window.
- Suitable for internal or external use on flat glass where privacy or a decorative look is required.
- This film is uniformly coloured and suitable for any glass size without colour mismatch.
- Full colour Scotchprint facilities available.
- Available in colours - Crystal, Rose, Green, Blue and Gold.

### APPLICATION

Clear Float or Laminated	YES*
Tinted Float or Laminated	YES*
Toughened	YES
Wire Cast	YES*

## decorative window film.

Australia's Premium Provider Of Window Films

*\* In certain applications a thermal safety assessment recommendation is required prior to application. Refer to Film Specifiers Guide for further information.*

# decorative films.

create your own designer space.



hpwff.

High Performance Window Films

## 3M HAZE

### DESCRIPTION

An economical calendered vinyl film that provides an alternative to acid etched glass. Used on internal glass partitions

### WARRANTY - FILM ONLY

External	3 years
Internal	5 years
Internal Partitioning	7 years
Workmanship	12 months

### BENEFITS

- Can be used as a decorative flat glass film or be computer cut to create specific designs, logo and lettering.
- Has the look of sandblasted glass.
- Eliminates the need for sandblasting of glass.
- Strengthens glass.
- Vinyl film has less static to reduce dust.
- Pressure sensitive adhesive.
- Often used in conjunction with company logos on front glass doors.
- Allows the majority of the light to be transmitted

### APPLICATION

Clear Float or Laminated	YES*
Tinted Float or Laminated	YES*
Toughened	YES
Wire Cast	YES*

## decorative window film.

Australia's Premium Provider Of Window Films

*\* In certain applications a thermal safety assessment recommendation is required prior to application. Refer to Film Specifiers Guide for further information.*

# decorative films.

create your own designer space.



## 3M SANDBLAST

### DESCRIPTION

An economical calandered vinyl film that provides an alternative to sand blasted glass. Ideal for interior design work on internal glazed partitions to create images and provide privacy.

### WARRANTY - FILM ONLY

External	3 years
Internal	5 years
Internal Partitioning	7 years
Workmanship	12 months

### BENEFITS

- A very attractive decorative film with many uses.
- An excellent substitute for acid etched glass and can be computer or hand cut to create exciting designs to make a show piece of any office situation.
- Company logos can also be cut and be incorporated into a feature wall or display window.
- Suitable for internal or external use on flat glass where privacy or a decorative look is required.

### APPLICATION

Clear Float or Laminated	YES*
Tinted Float or Laminated	YES*
Toughened	YES
Wire Cast	YES*

## decorative window film.

Australia's Premium Provider Of Window Films

*\* In certain applications a thermal safety assessment recommendation is required prior to application. Refer to Film Specifiers Guide for further information.*



# decorative films.

create your own designer space.

hpw.f.

High Performance Window Films

## LAT 7536

### DESCRIPTION

A matt film, ideal for areas where privacy is required. Gives glass an opaque effect.

### BENEFITS

- Ideal film for interior design work.
- Can be computer cut for designs, logos or lettering.
- Gives total privacy day and night.
- Gives soft, white appearance internally and externally.
- Economical alternative to acid etched glass.
- Strengthens glass for added safety.

### APPLICATION

Clear Float or Laminated	YES*
Tinted Float or Laminated	YES*
Toughened	YES
Wire Cast	YES*

### SPECIFICATIONS

1. Solar Heat Rejection	33%
2. Glare Rejection	22%
3. Ultra Violet Rejection	99%+
4. Light Transmittance	68%
5. Solar Transmittance	62%
6. Solar Reflectance	27%
7. Solar Absorbance	21%
8. Visible Light Reflectance	24%
9. Shading Co-efficient	0.76
10. U-Value (W/Sq.m.k)	5.7
11. Emissivity	0.95
12. Colour	Matte White
13. Film Construction	Dyed Film
14. Visual Characteristics	Non Reflective
15. Laminates	Single
16. Metal Type	No Metal
17. Scratch Resistant	No
18. Thickness (Microns)	50
19. Warranty	- 7 years - 12 Months Workmanship
20. EMF Rating	- Low Energy Consumption - up to 15% FIR retention
21. Heat Rating	Low Rejection
22. Fade Reduction	Low Ability - up to 70%
23. Fire Rating	Exceeds Class A Fire Rating
24. Glare Rating	Low Optical Comfort
25. Safety Rating	Medium to High Ability
26. Natural Light	High retention of natural light
27. UPF Rating	Excellent protection Category
28. Daytime Privacy	Total privacy from both sides, day & night
29. Visual Acuity	0%
30. Cooling Star Rating	Not Applicable and/or Available
31. SHGC	0.67

## decorative window film.

Australia's Premium Provider Of Window Films

*\* In certain applications a thermal safety assessment recommendation is required prior to application. Refer to Film Specifiers Guide for further information.*

# decorative films.

create your own designer space.

hpw.f.

High Performance Window Films



## LAT 7569

### DESCRIPTION

A black coloured film, used to provide 100% privacy and block 100% of light.

### BENEFITS

- Gives 100% light block out.
- Successfully used in spandrel glass panels.
- Can be used for interior design work.
- Gives 100% privacy.
- Totally eliminates glare.
- Strengthens glass for added safety.

### APPLICATION

Clear Float or Laminated	YES*
Tinted Float or Laminated	NO
Toughened	YES
Wire Cast	NO

### SPECIFICATIONS

1. Solar Heat Rejection	72%
2. Glare Rejection	100%
3. Ultra Violet Rejection	100%
4. Light Transmittance	0%
5. Solar Transmittance	11%
6. Solar Reflectance	10%
7. Solar Absorbance	79%
8. Visible Light Reflectance	13%
9. Shading Co-efficient	0.32
10. U-Value (W/Sq.m.k)	6.1
11. Emissivity	0.95
12. Colour	Black
13. Film Construction	Dyed Film
14. Visual Characteristics	Non Reflective
15. Laminates	Single
16. Metal Type	No Metal
17. Scratch Resistant	No
18. Thickness (Microns)	75
19. Warranty	- 7 years - 12 Months Workmanship
20. EMF Rating	- Low Energy Consumption - up to 15% FIR retention
21. Heat Rating	High Rejection
22. Fade Reduction	High Ability - up to 70%
23. Fire Rating	Exceeds Class A Fire Rating
24. Glare Rating	Low Optical Comfort
25. Safety Rating	Medium to High Ability
26. Natural Light	Total block out of natural light
27. UPF Rating	Excellent protection Category
28. Daytime Privacy	Total privacy from both sides, day & night
29. Visual Acuity	0%
30. Cooling Star Rating	Not Applicable and/or Available
31. SHGC	0.28

## decorative window film.

Australia's Premium Provider Of Window Films

*\* In certain applications a thermal safety assessment recommendation is required prior to application. Refer to Film Specifiers Guide for further information.*

# decorative films.

create your own designer space.



**hpwvf.**

High Performance Window Films

## LAT 7579

### DESCRIPTION

A white coloured film used to provide 100% privacy and block 100% of light.

### BENEFITS

- Ideal where 100% privacy is required.
- Can be used for interior design work.
- Strengthens glass for added safety.
- Excellent fade reduction.
- Pressure sensitive adhesive.
- Used to hide stud walls or spandrel panels.
- Can be computer cut for corporate image and design.

### APPLICATION

Clear Float or Laminated	YES*
Tinted Float or Laminated	YES*
Toughened	YES
Wire Cast	YES*

### SPECIFICATIONS

1. Solar Heat Rejection	85%
2. Glare Rejection	92%
3. Ultra Violet Rejection	99%
4. Light Transmittance	7%
5. Solar Transmittance	10%
6. Solar Reflectance	49%
7. Solar Absorbance	41%
8. Visible Light Reflectance	58%
9. Shading Co-efficient	0.17
10. U-Value (W/Sq.m.k)	0.17
11. Emissivity	5.7
12. Colour	White
13. Film Construction	Dyed Film
14. Visual Characteristics	Non Reflective
15. Laminates	Single
16. Metal Type	No Metal
17. Scratch Resistant	No
18. Thickness (Microns)	75
19. Warranty	- 7 years - 12 Months Workmanship
20. EMF Rating	- Low Energy Consumption - up to 15% FIR retention
21. Heat Rating	High Rejection
22. Fade Reduction	High Ability - up to 70%
23. Fire Rating	Exceeds Class A Fire Rating
24. Glare Rating	Low Optical Comfort
25. Safety Rating	Medium to High Ability
26. Natural Light	Total block out of natural light
27. UPF Rating	Excellent protection Category
28. Daytime Privacy	Total privacy from both sides, day & night
29. Visual Acuity	0%
30. Cooling Star Rating	Not Applicable and/or Available
31. SHGC	0.15

## decorative window film.

Australia's Premium Provider Of Window Films

*\* In certain applications a thermal safety assessment recommendation is required prior to application. Refer to Film Specifiers Guide for further information.*

# decorative films.

create your own designer space.



hpw<sup>®</sup>f.

High Performance Window Films

## LAT 2656

### DESCRIPTION

A clear distortion free PET film suitable for UV cured printed digital images. Ideal where see-through clarity is a requirement. Applied to the inside surface of glass. Provides a medium level of protection from injury when glass breaks.

LAT 2656 is a better option than clear vinyl films due to the vinyl's inherent distortion.

### WARRANTY

External	NIL
Internal	5 years (film only)
Internal Partitioning	7 years (film only)
Workmanship	12 months

### BENEFITS

- Provides a clear undistorted film base for high quality UV cured digital printing.
- Unprinted portion of the film distortion free.
- Scratch resistant coating.
- Stops 99% + of ultraviolet rays.
- Provides medium level of safety.

### APPLICATION

Clear Float or Laminated	YES
Tinted Float or Laminated	YES
Toughened	YES
Wire Cast	YES

## decorative window film.

Australia's Premium Provider Of Window Films

*\* In certain applications a thermal safety assessment recommendation is required prior to application. Refer to Film Specifiers Guide for further information.*